

Hydro

1209 Tech Blvd Suite 211 Tampa, FL 33619
(813) 252-5009
Project 12/08/2023


COMPLIANCE FOR RETAIL

Sample Name: Black Runtz

Lab Sample ID: F312025-01
Retail Batch Total Wt/Vol: N/A
Retail Batch Date: N/A

Matrix: Inhalable Flower
Retail Batch Total Units: N/A
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 12/08/2023
Date Received: 12/08/2023
Date Reported: 12/14/2023



Total Cannabinoids	
24.3%	
Major Cannabinoids	
Total CBD	Total THCA
0.0353%	22.2%
0.353 mg/g	222 mg/g
Minor Cannabinoids *	
CBGA	CBGA
0.187%	0.142%
1.87 mg/g	1.42 mg/g

* Most abundant

Cannabinoids

Date Prepared: 12/08/23 11:05 Prep ID: NS Specimen Prep: 0.2729 g / 10 mL
Date Analyzed: 12/11/23 14:35 Analyst ID: SP Instrument: HPLC
Lab Batch: B23L002 Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results	Results
			%	mg/g
CBC	5	0.0183	ND	ND
CBCA	5	0.0183	0.142	1.42
CBD	5	0.0183	ND	ND
CBDA	5	0.0183	0.0403	0.403
CBDV	5	0.0183	0.0247	0.247
CBDVA	5	0.0183	ND	ND
CBG	5	0.0183	0.0506	0.506
CBGA	5	0.0183	0.187	1.87
CBN	5	0.0183	ND	ND
delta-8-THC	5	0.0183	ND	ND
delta-9-THC	5	0.0183	0.029	0.29
THCA	50	0.183	23.2	2.32
THCV	5	0.0183	ND	ND
THCVA	5	0.0183	0.0519	0.519

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC
LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150



Dr. Harry Bezhadi, PhD.
President, CEO

